

L Number	Hits	Search Text	DB	Time stamp
1	1	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) near5 (fail or fails or failed or failure or failing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:27
2	14	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) and (fail or fails or failed or failure or failing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:27
3	0	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) and (fail or fails or failed or failure or failing)) and (feed near4 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:28
4	2	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) and (fail or fails or failed or failure or failing)) and (feedforward near4 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:28
5	12	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) and (fail or fails or failed or failure or failing)) and signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:29
6	11	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) and (fail or fails or failed or failure or failing)) and (signal and signals)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:29
7	12	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) and (fail or fails or failed or failure or failing)) and (signal or signals)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:29
8	10	(variable near5 (turbine or turbo or turbocharger or supercharger)) and (("boost pressure" near2 (sensor or detector)) and (fail or fails or failed or failure or failing)) and (signal or signals) and ((control or controls or controller or controlling or controls) near5 (turbine or turbo or turbocharger or supercharger))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:30

L Number	Hits	Search Text	DB	Time stamp
1	14	"3141753"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 16:08
2	1			2004/05/14 15:23
3	7	"1337661"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 15:24
4	0	"FR- 1337661-a\$.did."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 15:25
5	0	"FR-1337661-a\$.did."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 15:25
6	1	gb-1362686-a\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 15:26
7	121	418/227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 15:35
8	36	418/227.ccls. and (seal or seals or sealing or sealant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 16:59
9	17	418/227.ccls. and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 16:59
10	12	418/225.ccls. and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 15:52
11	248	418/\$.ccls. and (thickness near 5 rotor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/14 15:53

12	0	418/\$.ccls. and (thickness near5 rotor) and pisotn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 15:53
13	83	418/\$.ccls. and (thickness near5 rotor) and piston	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 15:53
14	4	"4741308"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 16:15
15	2	"0473940"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 16:16
17	2	418/227.ccls. and ratio and "1:2"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:08
18	22	418/227.ccls. and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:01
19	26	418/225.ccls. and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:02
20	646	123/200-249.ccls. and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:02
21	30	123/200-249.ccls. and ratio and ("two to one" or "2:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:03
23	104	418/\$.ccls. and ("two to one" or "2:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:04
24	98	418/\$.ccls. and ratio and ("two to one" or "2:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:04

22	32	123/200-249.ccls. and ("two to one" or "2:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:09
25	2	418/227.ccls. and ratio and ("tow to one" or "1:2")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:08
26	30	123/200-249.ccls. and ratio and ("two to one" or "2:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:09